

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke ->

mikroqid® AF wipes **No Change Service!**

Version Revision Date: Date of last issue: 11.04.2020
05.11 23.04.2021 Date of first issue: 27.09.2007

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : mikroqid® AF wipes
Unique Formula Identifier : 5800-P0VS-N00A-TKK9
(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Disinfectants and general biocidal products
stance/Mixture

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road, Meadowhall

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person : Application Department
responsible for the +49 (0)40/ 521 00 666
SDS/Contact person AD@schuelke.com
(Schülke & Mayr UK Ltd.: +44-1142543500)



1.4 Emergency telephone number

Emergency telephone num- : UK Poisons Emergency number: 0870 600 6266
ber Carechem 24 International: +44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.
Eye irritation, Category 2 H319: Causes serious eye irritation.
Specific target organ toxicity - single ex- H336: May cause drowsiness or dizziness.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

mikrozyd® AF wipes **No Change Service!**

Version
05.11

Revision Date:
23.04.2021

Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

posure, Category 3, Central nervous system

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard Statements : H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves (e.g. Nitrile rubber) /eye protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

Hazardous components which must be listed on the label:

propan-1-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Has a degreasing effect on the skin.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous, alcohol containing solution on non-woven

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
propan-1-ol	71-23-8	Flam. Liq. 2; H225	>= 30 - < 50

mikrozyd® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021

Date of last issue: 11.04.2020

Date of first issue: 27.09.2007

	200-746-9 603-003-00-0 01-2119486761-29-XXXX	Eye Dam. 1; H318 STOT SE 3; H336	
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 20 - < 30

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Wash with water and soap as a precaution.
If skin irritation persists, call a physician.
- In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.
Obtain medical attention.
- If swallowed : If accidentally swallowed obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing media : Dry powder
Alcohol-resistant foam
Carbon dioxide (CO₂)
Water spray jet
- Unsuitable extinguishing media : Foam
Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : No hazardous combustion products are known

mikroqid® AF wipes **No Change Service!**

Version Revision Date: Date of last issue: 11.04.2020
05.11 23.04.2021 Date of first issue: 27.09.2007

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus for firefighters

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Remove all sources of ignition.
Avoid contact with eyes.

6.2 Environmental precautions

Environmental precautions : No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Wear personal protective equipment.

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.

Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container.

Further information on storage conditions : Keep container tightly closed. Keep away from direct sunlight.
Recommended storage temperature: 15 - 25°C

Advice on common storage : Do not store together with oxidising agents.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis
------------	---------	------------------	--------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

mikrozyd® AF wipes **No Change Service!**

Version
05.11

Revision Date:
23.04.2021

Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

		of exposure)		
propan-1-ol	71-23-8	STEL	250 ppm 625 mg/m ³	GB EH40
Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		TWA	200 ppm 500 mg/m ³	GB EH40
Further information: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m ³	GB EH40
Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
propan-1-ol	Workers	Skin contact	Long-term systemic effects	136 mg/kg
	Workers	Inhalation	Long-term systemic effects	268 mg/m ³
	Workers	Inhalation	Acute systemic effects	1723 mg/m ³
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m ³
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propan-1-ol	Fresh water	6.83 mg/l
	Soil	1.49 mg/kg
	Marine sediment	2.75 mg/kg
	Fresh water sediment	27.5 mg/kg
ethanol	Marine water	0.983 mg/l
	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg
	Soil	0.63 mg/kg
	Marine sediment	2.9 mg/kg
	Sewage treatment plant	580 mg/l

8.2 Exposure controls

Personal protective equipment

Hand protection

Remarks : Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protection.

mikrozyd® AF wipes **No Change Service!**

Version	Revision Date:	Date of last issue: 11.04.2020
05.11	23.04.2021	Date of first issue: 27.09.2007

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance : Aqueous, alcohol containing solution on non-woven

Colour : colourless

Odour : alcohol-like

Odour Threshold : not determined

pH : Not applicable

Melting point/freezing point : < -5 °C
of the active solution

Decomposition temperature : No data available

Boiling point/boiling range : ca. 80 °C of the active solution

Flash point : 27 °C
Method: DIN 51755 Part 1
of the active solution

Evaporation rate : No data available

Flammability (solid, gas) : Sustains combustion

Upper explosion limit / Upper flammability limit : 17.5 %(V)
Raw material

Lower explosion limit / Lower flammability limit : 2.1 %(V)
Raw material

Vapour pressure : ca. 50 hPa (20 °C)
of the active solution

Vapour density : No data available

Relative density : ca. 0.89 g/cm³ (20 °C)
of the active solution

Solubility(ies)
Water solubility : completely soluble (20 °C)

Partition coefficient: n-octanol/water : Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



mikroZid® AF wipes *No Change Service!*

Version
05.11

Revision Date:
23.04.2021

Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

Auto-ignition temperature	:	425 °C Raw material
Viscosity Viscosity, dynamic	:	No data available
Flow time	:	< 15 s at 20 °C Method: DIN 53211 of the active solution
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

propan-1-ol:

Acute oral toxicity	:	LD50 (Rat): ca. 8,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 33.8 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -t

mikrozyd® AF wipes **No Change Service!**

Version
05.11

Revision Date:
23.04.2021

Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

Acute dermal toxicity : LD50 (Rabbit): 4,032 mg/kg
Method: literature value

ethanol:

Acute oral toxicity : LD50 (Mouse): 8,300 mg/kg

Acute inhalation toxicity : LC50 (Mouse): 39 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 20,000 mg/kg

Skin corrosion/irritation

Components:

propan-1-ol:

Species : Rabbit
Result : No skin irritation

ethanol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Product:

Method : Expert judgement
Result : irritating
Remarks : The toxicological data has been taken from products of similar composition.

Components:

propan-1-ol:

Species : Rabbit
Result : Irreversible effects on the eye

ethanol:

Method : OECD Test Guideline 405
Result : Eye irritation

Respiratory or skin sensitisation

Components:

propan-1-ol:

Test Type : Maximisation Test
Species : Guinea pig

mikroZid® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

ethanol:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity**Components:****propan-1-ol:**

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Result: Non mutagenic

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity**Components:****propan-1-ol:**

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

ethanol:

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Reproductive toxicity**Components:****propan-1-ol:**

Effects on foetal development : Species: Rat
Application Route: inhalation (vapour)
General Toxicity Maternal: NOAEL: 8.6 mg/l

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Experiments have shown reproductive toxicity effects on la-

mikroZid® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021

Date of last issue: 11.04.2020

Date of first issue: 27.09.2007

|| laboratory animals.

ethanol:

|| Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

|| Reproductive toxicity - Assessment : In animal testing, risk of impaired fertility was shown only after administration of very high doses of this substance.
Animal experiments showed mutagenic and teratogenic effects.

STOT - single exposure**Product:**

Remarks : May cause drowsiness or dizziness.

Components:**propan-1-ol:**

|| Assessment : May cause drowsiness or dizziness.

ethanol:

|| Remarks : No data available

STOT - repeated exposure**Components:****propan-1-ol:**

|| Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

ethanol:

|| Remarks : No data available

Repeated dose toxicity**Components:****ethanol:**

|| Species : Rat
NOAEL : 1,730 mg/kg
LOAEL : 3,160 mg/kg
Application Route : Oral
Exposure time : 90 d

Aspiration toxicity

No data available

mikrozyd® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021Date of last issue: 11.04.2020
Date of first issue: 27.09.2007**Further information****Product:**

Remarks : No data is available on the product itself.

SECTION 12: Ecological information**12.1 Toxicity****Components:****propan-1-ol:**

Toxicity to fish	:	LC50 (Fish): 3,200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3,642 mg/l Exposure time: 48 h Method: DIN 38412
Toxicity to algae/aquatic plants	:	NOEC (Chlorella pyrenoidosa (aglae)): 1,150 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 68.3 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials

ethanol:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 5,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability**Product:**

Biodegradability	:	Result: Readily biodegradable. Method: OECD 301D / EEC 84/449 C6 Remarks: of the active solution
------------------	---	--

Components:**propan-1-ol:**

Biodegradability	:	Test Type: aerobic Result: Readily biodegradable. Biodegradation: 75 % Exposure time: 20 d
------------------	---	---

mikroZid® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021Date of last issue: 11.04.2020
Date of first issue: 27.09.2007**ethanol:**

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 5 d
Method: OECD 301D / EEC 84/449 C6

12.3 Bioaccumulative potential**Components:****propan-1-ol:**

Biaccumulation : Bioconcentration factor (BCF): 0.88
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 0.2 (25 °C)
Method: OECD Test Guideline 117

ethanol:

Biaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -0.14
Method: Calculated value

12.4 Mobility in soil**Components:****propan-1-ol:**

Mobility : Remarks: Mobile in soils

ethanol:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects**Product:**

Additional ecological information : This product has no known ecotoxicological effects.

mikrozyd® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

- Product : Can be incinerated or landfilled together with household waste in compliance with the regulations, and after consultation with the waste disposal services.
- Contaminated packaging : Take empty packaging to the recycling plant.

SECTION 14: Transport information**14.1 UN number**

- ADR : UN 3175
- IMDG : UN 3175
- IATA : UN 3175

14.2 UN proper shipping name

- ADR : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(propan-1-ol, ethanol)
- IMDG : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
(propan-1-ol, ethanol)
- IATA : Solids containing flammable liquid, n.o.s.
(propan-1-ol, ethanol)

14.3 Transport hazard class(es)

- ADR : 4.1
- IMDG : 4.1
- IATA : 4.1

14.4 Packing group

- ADR**
- Packing group : II
- Classification Code : F1
- Hazard Identification Number : 40
- Labels : 4.1
- Tunnel restriction code : (E)
- IMDG**
- Packing group : II
- Labels : 4.1
- EmS Code : F-A, S-I
- IATA (Cargo)**
- Packing instruction (cargo aircraft) : 448
- Packing instruction (LQ) : Y441
- Packing group : II
- Labels : Flammable solid

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



mikrozyd® AF wipes **No Change Service!**

Version Revision Date: Date of last issue: 11.04.2020
05.11 23.04.2021 Date of first issue: 27.09.2007

IATA (Passenger)

Packing instruction (passenger aircraft) : 445
Packing instruction (LQ) : Y441
Packing group : II
Labels : Flammable solid

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EC on the limitation of emissions of volatile

mikrozyd® AF wipes **No Change Service!**

Version	Revision Date:	Date of last issue: 11.04.2020
05.11	23.04.2021	Date of first issue: 27.09.2007

organic compounds
 Volatile organic compounds (VOC) content: 44.8 %

Regulation (EC) No. : Other constituents: Perfumes
 648/2004, as amended

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information**Full text of H-Statements**

H225 : Highly flammable liquid and vapour.
 H318 : Causes serious eye damage.
 H319 : Causes serious eye irritation.
 H336 : May cause drowsiness or dizziness.

Full text of other abbreviations

Eye Dam. : Serious eye damage
 Eye Irrit. : Eye irritation
 Flam. Liq. : Flammable liquids
 STOT SE : Specific target organ toxicity - single exposure
 GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
 GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
 GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not

mikrozid® AF wipes **No Change Service!**Version
05.11Revision Date:
23.04.2021Date of last issue: 11.04.2020
Date of first issue: 27.09.2007

Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information**Classification of the mixture:**

Flam. Liq. 3	H226
Eye Irrit. 2	H319
STOT SE 3	H336

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

